



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Allergen, Drugs, Ampicillin IgE	0.35 H	kU/L	[<=0.34]	19-148-104536	28-May-19 10:23:00	28-May-19 10:25:00	28-May-19 10:30:23
Allergen, Interp, Immunocap Score IgE	See Note			19-148-104536	28-May-19 10:23:00	28-May-19 10:25:00	28-May-19 10:31:10

28-May-19 10:23:00 Allergen, Interp, Immunocap Score IgE:
 REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected
 0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined
 0.35-0.70 kU/L.....Class 1.....Low
 0.71-3.50 kU/L.....Class 2.....Moderate
 3.51-17.50 kU/L.....Class 3.....High
 17.51-50.00 kU/L.....Class 4.....Very High
 50.01-100.00 kU/L.....Class 5.....Very High
 Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab