

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Patient Age/Sex: 24 years Male

Specimen Collected: 17-Jun-24 13:42

HBV by Quantitative NAAT Procedure	Received: 17-Jun-24 13:46 Result	Report/Verified: 17-Jun-24 14:06 Units	Reference Interval
HBV Qnt by NAAT (IU/mL)	4,800	IU/mL	
HBV Qnt by NAAT (log IU/mL)	3.68	log IU/mL	
HBV Qnt by NAAT Interp	Detected * i1		[Not Detected]

Test Information

i1: HBV Qnt by NAAT Interp
 INTERPRETIVE INFORMATION: HBV by Quantitative NAAT

The quantitative range of this test is 1.00-9.00 log IU/mL (10-1,000,000,000 IU/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or HBV DNA concentration below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This test is intended for use as an aid in the management of patients with chronic HBV infection undergoing anti-viral therapy. The test can be used to measure HBV DNA levels at baseline and during treatment to aid in assessing response to treatment. Results must be interpreted within the context of all relevant clinical and laboratory findings.

This assay should not be used for blood donor screening, associated reentry protocols, or for screening human cell, tissues, and cellular tissue-based products (HCT/P).

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 24-169-900090

Report Request ID: 19476756

Printed: 17-Jun-24 14:49

Page 1 of 1