



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
2,3 Dinor-11Beta-Prostaglandin F2, Urine	7000 Hf@		[<5205]	19-345-900071	11-Dec-19 11:29:00	11-Dec-19 16:33:00	11-Dec-19 15:37:31

11-Dec-19 11:29:00 2,3 Dinor-11Beta-Prostaglandin F2, Urine:

-----ADDITIONAL INFORMATION-----

Reference range change: A new reference range was implemented on 04/11/2016. The new reference range of <5,205 pg/mg creatinine is the 95th percentile of healthy, untreated individuals. The previous reference range was based on clinical sensitivity and specificity for systemic mastocytosis. Results should not be compared to the previous reference range.

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:

Mayo Clinic Laboratories - Rochester Main Campus  
 200 First Street SW, Rochester, MN 55905

Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

11-Dec-19 11:29:00 2,3 Dinor-11Beta-Prostaglandin F2, Urine:

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab