

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Patient Age/Sex: 31 years Female

**Specimen Collected: 21-Nov-23 13:11**

**Allergen, Food, Sesame w/Component Rflx** | Received: 21-Nov-23 13:11 | Report/Verified: 21-Nov-23 17:43

Procedure	Result	Units	Reference Interval
Allergen, Food, Sesame Seed IgE	0.35 #	kU/L	[<=0.34]

**RAST, Immunocap Score** | Received: 21-Nov-23 13:11 | Report/Verified: 21-Nov-23 17:43

Procedure	Result	Units	Reference Interval
Allergen, Interp, Immunocap Score IgE	See Note <sup>i1</sup>		

**Allergen, Food, Sesame rSes i 1** | Received: 21-Nov-23 13:27 | Report/Verified: 21-Nov-23 17:47

Procedure	Result	Units	Reference Interval
Allergen, Food, Sesame rSes i 1 IgE	100.00 #	kU/L	[<=0.09]

**Test Information**

i1: Allergen, Interp, Immunocap Score IgE  
 REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected  
 0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined  
 0.35-0.70 kU/L.....Class 1.....Low  
 0.71-3.50 kU/L.....Class 2.....Moderate  
 3.51-17.50 kU/L.....Class 3.....High  
 17.51-50.00 kU/L.....Class 4.....Very High  
 50.01-100.00 kU/L.....Class 5.....Very High  
 Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:**

**ARUP Laboratories**  
 500 Chipeta Way, Salt Lake City, UT 84108  
 Laboratory Director: Jonathan R. Genzen, MD, PhD

**ARUP Accession:** 23-325-900167  
**Report Request ID:** 18507419  
**Printed:** 11-Dec-23 09:30  
 Page 1 of 1