



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/Verified</u>
Ureaplasma and Mycoplasma Source	Genital			20-073-900133	13-Mar-20 09:29:00	13-Mar-20 09:29:00	13-Mar-20 09:34:41
Ureaplasma parvum by PCR	Not Detected			20-073-900133	13-Mar-20 09:29:00	13-Mar-20 09:29:00	13-Mar-20 09:34:41
Ureaplasma urealyticum by PCR	Not Detected			20-073-900133	13-Mar-20 09:29:00	13-Mar-20 09:29:00	13-Mar-20 09:34:41
Mycoplasma hominis by PCR	Not Detected			20-073-900133	13-Mar-20 09:29:00	13-Mar-20 09:29:00	13-Mar-20 09:34:41
Mycoplasma genitalium by PCR	<b>Detected *</b>			20-073-900133	13-Mar-20 09:29:00	13-Mar-20 09:29:00	13-Mar-20 09:34:41

13-Mar-20 09:29:00 Mycoplasma genitalium by PCR:  
 INTERPRETIVE INFORMATION: Urogenital Ureaplasma and  
 Mycoplasma Species by PCR

A negative result does not rule out the presence of PCR inhibitors in the patient specimen or test-specific nucleic acid in concentrations below the level of detection by this test.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab