



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Phenylalanine, Plasma	96 H	umol/L	[30-95]	19-263-900120	20-Sep-19 14:17:00	23-Sep-19 09:32:00	23-Sep-19 14:17:07
Tyrosine, Plasma	141 H	umol/L	[30-140]	19-263-900120	20-Sep-19 14:17:00	23-Sep-19 09:32:00	23-Sep-19 14:17:07

20-Sep-19 14:17:00 Phenylalanine, Plasma:
 REFERENCE INTERVAL: Phenylalanine, Plasma

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

20-Sep-19 14:17:00 Tyrosine, Plasma:

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab