

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Patient Age/Sex: 32 years Female

Specimen Collected: 31-Jul-24 11:53

Allergen, Food,Walnut Component, rJug r1 | Received: 31-Jul-24 11:56 | Report/Verified: 31-Jul-24 11:58

Procedure	Result	Units	Reference Interval
Allergen,Walnut rJug r 1	100.00 #	kU/L	[<=0.09]

RAST, Immunocap Score | Received: 31-Jul-24 11:56 | Report/Verified: 31-Jul-24 11:58

Procedure	Result	Units	Reference Interval
Allergen,Interp,Immunocap Score	See Note ⁱ¹		

IgE

Test Information

i1: Allergen, Interp, Immunocap Score IgE
 REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected
 0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined
 0.35-0.70 kU/L.....Class 1.....Low
 0.71-3.50 kU/L.....Class 2.....Moderate
 3.51-17.50 kU/L.....Class 3.....High
 17.51-50.00 kU/L.....Class 4.....Very High
 50.01-100.00 kU/L.....Class 5.....Very High
 Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 24-213-900118

Report Request ID: 19482128

Printed: 31-Jul-24 12:22